

1 PRODUCT AND COMPANY IDENTIFICATION

Supplier Details: Blended Waxes, Inc.
1512 S. Main Street, P.O. Box 3044
Oshkosh, WI 54902

Contact: Lab

Phone: (920) 236-8080

Fax: (920) 236-8085

Web: www.blendedwaxes.com

2 HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

No GHS Classifications Indicated

GHS Label Elements, Including Precautionary Statements

GHS Signal Word:

GHS Hazard Pictograms:

No GHS pictograms indicated for this product

GHS Hazard Statements:

No GHS hazards statements indicated

GHS Precautionary Statements:

No GHS precautionary statements indicated

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Route of Entry: Inhalation, Skin Contact

Target Organs: NA

Inhalation: Fumes from molten material may cause mild respiratory irritation

Skin Contact: Contact with molten material may cause burns.

Eye Contact: Contact with molten material may cause burns.

Ingestion: Ingestion is not an applicable route of entry for intended use

3 COMPOSITION/INFORMATION OF INGREDIENTS

Chemical Ingredients

| CAS# | % | Chemical Name |
|------------|---|--------------------------------------|
| 8009-03-8 | | Petrolatum |
| 64742-61-6 | | Slack wax, petroleum |
| 8002-74-2 | | Paraffin waxes and Hydrocarbon waxes |
| 8016-70-4 | | Soybean oil, hydrogenated |

FIRST AID MEASURES

- Inhalation:** If symptoms develop, move victim to fresh air. If symptoms persist, seek medical attention.
- Skin Contact:** Wash contact area with soap and water. If burned by contact with hot material, molten material adhering to skin should be cooled as quickly as possible with water.
- Eye Contact:** Flush eyes with plenty of water for at least 15 minutes.
- Ingestion:** Product is non-toxic. Should stomach discomfort occur, seek medical attention

FIRE FIGHTING MEASURES

- Flammability:** NA
- Flash Point:** 415F
- Flash Point Method:** C.O.C.
- LEL:** NA
- UEL:** NA
- Dry chemical, CO2, foam or water fog. Treat as an oil fire, do not use stream of water.

ACCIDENTAL RELEASE MEASURES

Dike or contain molten material. Allow material to solidify, then scrape up solid material. Handle as solid waste clean up. Clean up solid spills to prevent slippery surface conditions. Prevent entry into waterways.

HANDLING AND STORAGE

- Handling Precautions:** When heated, the vapor/fumes given off may cause respiratory tract irritation. Handle with care and avoid spillage on the floor.
- Storage Requirements:** Store in cool, dry area away from heat or direct sunlight.

EXPOSURE CONTROLS/PERSONAL PROTECTION

- Engineering Controls:** Provide adequate ventilation to avoid build up of fumes.
- TLV-TWA: 2/mg/m3 for fumes.
- Personal Protective Equipment:** Personal protective equipment selections vary based on potential exposure conditions such as applications, handling practices, concentration and ventilation.
- If product is hot, thermally protective, chemical resistant gloves are recommended.
 - If contact with material may occur, safety glasses and face shield are recommended.
 - If product is hot, thermally protective, chemical resistant apron and long sleeves are recommended.

Additional protective clothing and/or equipment as required to prevent contact with molten wax.

PHYSICAL AND CHEMICAL PROPERTIES

- Appearance:** White / Off white
- Spec Grav./Density:** <1
- Freezing/Melting Pt.:** 115F-120F

Review Specification sheet for more product information.

10

STABILITY AND REACTIVITY

Chemical Stability: Product is stable under normal conditions

Conditions to Avoid: Avoid heating above 300 F to prevent build-up of fumes.

Materials to Avoid: Strong Oxidizing Agents

Hazardous Decomposition: CO, CO₂ and unidentified byproducts of combustion

Hazardous Polymerization: Will not occur

11

TOXICOLOGICAL INFORMATION

Product does not have any harmful effects based on available information.

12

ECOLOGICAL INFORMATION

No quantataive data concerning the ecological effects of this product.

13

DISPOSAL CONSIDERATIONS

Observe all local, state, and federal regulations.

14

TRANSPORT INFORMATION

Not hazardous product accorging to DOT classifications.

15

REGULATORY INFORMATION

Component (CAS#) [%] - CODES

Petrolatum (8009-03-8) [n/a%] TSCA

Slack wax, petroleum (64742-61-6) [n/a%] TSCA

Paraffin waxes and Hydrocarbon waxes (8002-74-2) [n/a%] MASS, OSHAWAC, PA, TSCA, TXAIR

soybean oil, hydrogenated (8016-70-4) [n/a%] TSCA

This product does not contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

Regulatory CODE Descriptions

TSCA = Toxic Substances Control Act

MASS = MA Massachusetts Hazardous Substances List

OSHA = OSHA workplace Air Contaminants

PA = PA Right-To-Know List of Hazardous Substances

TXAIR = TX Air Contaminants with Health Effects Screening Level

16

OTHER INFORMATION

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

Revision Date: 6/5/2017

Print Date: 07/18/2025