

### 1 PRODUCT AND COMPANY IDENTIFICATION

#### Manufacturer

Blended Waxes, Inc.  
1512 S. Main Street  
P.O. Box 3044  
Oshkosh, WI 54902

#### Contact:

Phone: (920) 236-8080

Fax: (920) 236-8085

Web: [www.blendedwaxes.com](http://www.blendedwaxes.com)

### 2 HAZARDS IDENTIFICATION

#### Classification of the Substance or Mixture

##### GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

No GHS Classifications Indicated

#### GHS Label Elements, Including Precautionary Statements

##### GHS Signal Word: **NONE**

no GHS pictograms indicated for this product

##### GHS Hazard Statements:

no GHS hazards statements indicated

##### GHS Precautionary Statements:

no GHS precautionary statements indicated

#### Hazards not Otherwise Classified (HNOC) or not Covered by GHS

**Route of Entry:** Inhalation, Skin

**Target Organs:** NA

**Inhalation:** Fumes from molten material may cause mild respiratory irritation

**Skin Contact:** Contact with molten material may cause burns

**Eye Contact:** Contact with molten material may cause burns

**Ingestion:** Product is non-toxic

### 3 COMPOSITION/INFORMATION ON INGREDIENTS

#### Ingredients:

Cas#	%	Chemical Name
8009-03-8		Petrolatum
9010-85-9		1,3-Butadiene, 2-methyl-, polymer with 2-methyl-1-propene
8002-74-2		Paraffin waxes and Hydrocarbon waxes
63231-60-7		Paraffin waxes and Hydrocarbon waxes, microcryst.

### 4 FIRST AID MEASURES

- Inhalation:** Avoid inhalation of fumes. If symptoms develop, move victim to fresh air. If symptoms persist, seek medical attention.
- Skin Contact:** Wash contact areas with soap and water. If burned by contact with molten material, seek medical attention.
- Eye Contact:** Flush thoroughly with water. Seek medical attention
- Ingestion:** Product is non-toxic. Should stomach discomfort occur, seek medical attention

### 5 FIRE FIGHTING MEASURES

- Flammability:** NA
- Flash Point:** 415F
- Flash Point Method:** C.O.C.
- LEL:** NA
- UEL:** NA

Dry chemical, CO2, foam or water fog. Treat as an oil fire, do not use stream of water.

### 6 ACCIDENTAL RELEASE MEASURES

Dike or contain molten material. Allow material to solidify, then scrape up solid material. Handle as solid waste clean up. Clean up solid spills to prevent slippery surface conditions.

### 7 HANDLING AND STORAGE

- Handling Precautions:** When heated, the vapor/fumes given off may cause respiratory tract irritation. Handle with care and avoid spillage on the floor as it may create slippery surface.
- Storage Requirements:** Store in cool, dry area away from heat or direct sunlight.

### 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:** Adequate ventilation to avoid build up of fumes.

TLV-TWA: 2/mg/m<sup>3</sup> for fumes.

Use local exhaust at filling zones and where leakage is probable. Use mechanical (general) ventilation for storage areas.

**Personal Protective Equipment:** HMIS PP, B Goggles, Gloves

Additional protective clothing and/or equipment as required to prevent contact with molten wax.

### 9 PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Clear or colored

**Physical State:** Solid

**Odor:** Low odor

**Freezing/Melting Pt.:** 140F

### 10 STABILITY AND REACTIVITY

**Chemical Stability:** Product is stable under normal conditions

**Conditions to Avoid:** Avoid heating above 300 F to prevent build-up of fumes.

**Materials to Avoid:** Strong Oxidizing Agents

**Hazardous Decomposition:** CO, CO<sub>2</sub> and unidentified byproducts of combustion

**Hazardous Polymerization:** Will not occur

### 11 TOXICOLOGICAL INFORMATION

Product does not have any harmful effects based on available information.

### 12 ECOLOGICAL INFORMATION

No quantitative data concerning the ecological effects of this product.

### 13 DISPOSAL CONSIDERATIONS

Observe all local, state and federal regulations.

### 14 TRANSPORT INFORMATION

Not hazardous product according to DOT classifications

### 15 REGULATORY INFORMATION

Component (CAS#) [%] - CODES

Petrolatum (8009-03-8) [n/a%] TSCA

1,3-Butadiene, 2-methyl-, polymer with 2-methyl-1-propene (9010-85-9) [n/a%] TSCA

Paraffin waxes and Hydrocarbon waxes (8002-74-2) [n/a%] MASS, OSHAWAC, PA, TSCA, TXAIR

Paraffin waxes and Hydrocarbon waxes, microcryst. (63231-60-7) [n/a%] TSCA

Regulatory CODE Descriptions

TSCA = Toxic Substances Control Act

MASS = MA Massachusetts Hazardous Substances List

OSHA = OSHA Workplace Air Contaminants

PA = PA Right-To-Know List of Hazardous Substances

TXAIR = TX Air Contaminants with Health Effects Screening Level

### 16 OTHER INFORMATION

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).