

Duck Wax

1 PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: Duck Wax
SDS Number: 050
Revision Date: 4/15/2019
Version: 1
Product Use: This was is most commonly used for removing feathers off of waterfowl such as ducks and geese
Supplier Details: Blended Waxes, Inc.
 1512 S. Main Street, P.O. Box 3044
 Oshkosh, WI 54902
Contact: Lab
Phone: (920) 236-8080
Fax: (920) 236-8085
Web: www.blendedwaxes.com

2 HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

No GHS Classifications Indicated

GHS Label Elements, Including Precautionary Statements

GHS Signal Word:

GHS Hazard Pictograms:

No GHS pictograms indicated for this product

GHS Hazard Statements:

No GHS hazards statements indicated

GHS Precautionary Statements:

No GHS precautionary statements indicated

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Route of Entry: Inhalation, Skin Contact
Inhalation: Fumes from molten material may cause mild respiratory irritation
Skin Contact: Contact with molten material may cause burns
Eye Contact: Contact with molten material may cause burns
Ingestion: Ingestion is not an applicable route of entry for intended use

3 COMPOSITION/INFORMATION OF INGREDIENTS

Chemical Ingredients

CAS#	%	Chemical Name
8002-74-2		Paraffin waxes and Hydrocarbon waxes
63231-60-7		Paraffin waxes and Hydrocarbon waxes, microcryst.

4

FIRST AID MEASURES

- Inhalation:** If symptoms develop, move victim to fresh air. If symptoms persist, seek medical attention.
- Skin Contact:** Wash contact area with soap and water. If burned by contact with hot material, molten material adhering to skin should be cooled as quickly as possible with water.
- Eye Contact:** Flush eyes with plenty of water for at least 15 minutes.
- Ingestion:** Product is non-toxic. Should stomach discomfort occur, seek medical attention

5

FIRE FIGHTING MEASURES

- Flammability:** NA
- Flash Point:** 415F
- Flash Point Method:** C.O.C.
- LEL:** NA
- UEL:** NA
- Use dry chemical, CO2, foam or water fog to extinguish fire. Treat as an oil fire, do not use stream of water.

6

ACCIDENTAL RELEASE MEASURES

Dike or contain molten material. Allow material to solidify, then scrape up solid material. Handle as solid waste clean up. Clean up solid spills to prevent slippery surface conditions. Prevent entry into waterways.

7

HANDLING AND STORAGE

- Handling Precautions:** When heated, the vapor/fumes given off may cause respiratory tract irritation. Handle with care and avoid spillage on the floor.
- Storage Requirements:** Store in cool, dry area away from heat or direct sunlight.

8

EXPOSURE CONTROLS/PERSONAL PROTECTION

- Engineering Controls:** Provide adequate ventilation to avoid build up of fumes.

TLV-TWA: 2/mg/m3 for fumes.

- Personal Protective Equipment:** Personal protective equipment selections vary based on potential exposure conditions such as applications, handling practices, concentration and ventilation.
- If product is hot, thermally protective, chemical resistant gloves are recommended.
 - If contact with material may occur, safety glasses and face shield are recommended.
 - If product is hot, thermally protective, chemical resistant apron and long sleeves are recommended

Additional protective clothing and/or equipment as required to prevent contact with molten wax.

9

PHYSICAL AND CHEMICAL PROPERTIES

- Appearance:** white

Spec Grav./Density: <1

Freezing/Melting Pt.: 138F-142F

10

STABILITY AND REACTIVITY

Chemical Stability: Product is stable under normal conditions

Conditions to Avoid: Avoid heating above 300 F to prevent build-up of fumes.

Materials to Avoid: Strong Oxidizing Agents

Hazardous Decomposition: CO, CO₂ and unidentified byproducts of combustion

Hazardous Polymerization: Will not occur

11

TOXICOLOGICAL INFORMATION

Product does not have any harmful effects based on available information.

12

ECOLOGICAL INFORMATION

No quantatative data concerning the ecological effects of this product.

13

DISPOSAL CONSIDERATIONS

Observe all local, state and federal regulations.

14

TRANSPORT INFORMATION

Not hazardous product according to DOT classifications

15

REGULATORY INFORMATION

Component (CAS#) [%] - CODES

Paraffin waxes and Hydrocarbon waxes (8002-74-2) [n/a%] MASS, OSHAWAC, PA, TSCA, TXAIR

Paraffin waxes and Hydrocarbon waxes, microcryst. (63231-60-7) [n/a%] TSCA

This product does not contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

Regulatory CODE Descriptions

MASS = MA Massachusetts Hazardous Substances List

OSHAWAC = OSHA workplace Air Contaminants

PA = PA Right-To-Know List of Hazardous Substances

TSCA = Toxic Substances Control Act

TXAIR = TX Air Contaminants with Health Effects Screening Level

16

OTHER INFORMATION

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

Revision Date: 4/15/2019

Print Date: 07/18/2025